

User Manual Artist 22R Pro



Safety Precautions

This manual uses the following symbols to ensure that the XP-PEN Tablet is used correctly and safely. Be sure to read and observe the Safety Precautions.



Do not use this product in a control system area that requires a high degree of safety and reliability.

In such a system, this product could negatively affect other electronic devices and could malfunction due to the effect of those devices.



Turn the power off in areas where use of electronic devices is prohibited.

Turn the power off your tablet when onboard an aircraft or in any other location where use of electronic devices is prohibited, otherwise it may negatively affect other electronic devices in the area. Unplug the USB connector from this product and turn the power off.



Keep the product away from infants and young children.

Accessories to this gadget may present a choking hazard to small children. Keep all accessories away from infants and young children.

CAUTION

Do not place this product on unstable surfaces.

Avoid placing this product on unstable, tilted surfaces or any locations exposed to excessive vibrations. This may cause the tablet to fall or impact surfaces which can result in damage and/or malfunction to the tablet.

Do not place heavy objects on top of this product.

Do not place heavy objects on the product. Do not step on, or place your body weight on this product as this may cause damage.

Avoid extreme high or low-temperature exposure to the XP-Pen tablet.

Do not store this product in areas that drop below 5°C or above 40°C. Avoid locations with excessive temperature fluctuations. This may result in damage to the product and its components.

Do not disassemble

Do not disassemble or modify this product. Doing so may expose you to heat, fire, electric shock and injury. Disassembling the product will void your warranty.

Do not use alcohol for cleaning

Never use alcohol, thinner, benzene or other mineral solvents that may discolor and cause deterioration to the product.

Do not expose to water

Be cautious of water and all liquids that may be near the tablet. Exposure to water or liquid could damage the product.

CAUTION

Avoid placing metallic objects and especially magnetic objects on the tablet.

Placing metallic and/or magnetic objects on this product during operation may cause malfunction or permanent damage.

Do not strike the pen against hard objects.

Striking the pen against hard objects can cause damage to the pen.

Avoid gripping the pen too tightly, and DO NOT use excessive weight/pressure on the Express Key button and pen.

The stylus pen is a high-precision instrument. Avoid pressing too tightly on the Express Key button, and keep any objects from covering the pen to avoid potential damage. Keep the pen away from areas of high dust, contaminants, or any particulate matter that can effect or damage the pen.

Limitation of Liability

- 1. XP-Pen shall in no event be liable for damages resulting from fires or earthquakes, including those caused by third parties and those arising from user misuse, abuse or neglect.
- 2. XP- Pen shall in no event be liable for incidental damages- including but not limited to loss of business income, interruption of business activities, corruption or loss of data that arise from use or failure to use this product correctly.
- 3. XP- Pen shall in no event be liable for damage resulting from uses not documented in this manual.
- 4. XP- Pen shall in no event be liable for damages or malfunction arising from the connection to other devices or use of third party software.



Contents

I.Product Overview Overview

II.Connecting the Artist 22R Pro

III.Driver Installation Windows Mac

IV.Driver Settings UI Windows Mac

<u>V.Driver Uninstall</u> <u>Windows</u> <u>Mac</u>

<u>VI.FAQ</u>



Thank you for purchasing the XP-Pen Artist 22R Pro . Our product user manual currently supports English, Russian, Japanese, German, Korean, Chinese, Italian, Spanish, and French. We apologize if your preferred language is not supported.

{ I. Product Overview}

Overview




Image 1-1. Overview

- 1. Power button (Press and hold for about 3 seconds to turn on.)
 - a. On, Blue: The Artist 22R Pro is connected to your computer and powered on.
 - b. On, Orange: The Artist 22R Pro is powered on, but not connected to a computer.
 - c. Off: The Artist 22R Pro is powered off.
- 2. Menu button
- 3. + button
- 4. button
- 5. VGA auto adjustment button
- 6. Display/Working area
- 7. Express key
- 8. Roller key
- 9. USB port
- 10. USB port
- 11. HDMI port
- 12. VGA port
- 13. Type-C port
- 14. Power jack
- 15. Stand adjustment lever



{II.Connecting the Artist 22R Pro}

You can use the below methods to connect your Artist 22R Pro to your computer.

a. Connect the Artist 22R Pro to your computer and wall outlet via included Type-C cable, power adapter, and power cord.




Image 2-1. Type-C connection

b. Connect the Artist 22R Pro to your computer and wall outlet via the included HDMI, "Type-C to USB cable", power adapter, and power cord.




Image 2-2. HDMI connection

c. Only for the Artist 22R Pro: Connect the Artist 22R Pro to your computer and wall outlet via the included VGA, "Type-C to USB cable", power adapter, and power cord.




Image 2-3. VGA connection

Notes:

- a. You must connect the Artist 22R Pro's Type-C port to your computer. The top 2 USB ports can connect to other USB devices like flash, keyboard, etc.,
- b. If your computer is a desktop, please connect the Artist 22R Pro HDMI cable into the same video card as your general monitor.



{ III. Driver Installation}

Supported operating systems:

Windows 10, 8 or 7 Mac OS X 10.10 or above

Notes:

- (1). Disable any antivirus or firewall software and close any non-essential background software before beginning the installation. Some software, such as OneDrive and Dropbox, may monopolize important files and prevent a successful installation. On Windows computers, check the system tray on the bottom-right of the screen and close any software unrelated to your computer hardware.
- (2). Uninstall any existing tablet software before attempting to install the Artist 22R Pro driver. Other tablet drivers may conflict with the Artist 22R Pro driver or prevent installation entirely.
- (3). Visit the XP-Pen official website and then download and install the latest driver for your tablet. When the download is complete, be sure to extract the ".zip" file contents before running ".exe" or ".pkg."
- (4). The Artist 22R Pro resolution size is 1920x1080 (max).

Windows:

Settings

- (1). Plug the Type-C and HDMI or VGA cables into your computer's Type-C, HDMI, VGA or USB ports first, then connect the power adapter and power cord into your Artist 22R Pro and wall outlet.
- (2). Download the latest driver version from the XP-Pen website (www.xp-pen.com) and be sure to extract the ".zip" file contents onto your desktop before running ".exe".
- (3). After installation, the driver's icon ()) will appear in your system tray. If the icon is not present, uninstall the driver, reboot, and repeat step 2.
- (4). Right click your desktop and choose "Display Settings". Then set monitors "Size to text, apps, etc." to 100%.

0	Home	Display
F	ind a setting $ ho$	
Sys	stem	
	Display	
\Box	Notifications & actions	
Ċ	Power & sleep	Identify Detect
	Battery	Brightness and color
-	Storage	Change brightness
G	Tablet mode	
	Multitasking	Night light Off
P	Projecting to this PC	Night light settings
×	Shared experiences	Scale and layout
0	About	Change the size of text, apps, and other items 100%

Image 3-1. Display setting




- (5). On the display setting, you can set your monitors to "Extend these displays" or "Duplicate these displays".
- (6). In Extend mode, set your Artist 22R Pro to Monitor 2 and choose a resolution of 1920x1080.
- (7). In Duplicate mode, set both of your monitors to the same resolution.

	203 SYSTEM	
	Display	
×	Notifications & actions	
	Apps & features	
	Multitasking	
* AMD Catalyst Control Center	Tablet mode	<u> </u>
Very > Sortby >	Battery saver	
Paste	Power & sleep	
Paste shortcut Undo Rename Ctrl+Z	Storage	
New		
Display settings	Offline maps	Identify Detect
2 Personalize	Default apps	Change the size of text, apps, and other items: 100% (Recommended)
	Default apps	
	About	Orientation
		Landscape
		Brightness level
		Duplicate these displays
	24 	Extend these displays
		Show only on 1
		Show only on 2
		Apply the Cardel
		a second second second

Image 3-2. Extend these displays

- (8). Click "OK" to exit.
- (9). Double-click the tablet driver's system tray icon to open your tablet settings. Set your Artist 22R Pro's "Current Screen" to Monitor 1 or 2, then apply and exit.





Mac

- (1). Plug the Type-C, HDMI or VGA cables into your computer Type-C, HDMI, VGA or USB ports first then connect power adapter and power cord into your Artist 22R Pro and wall outlet.
- (2). Download the latest driver version from the XP-Pen website (<u>www.xp-pen.com</u>) and extract the ".zip" file contents onto your desktop before running ".pkg".



Image 3-4. Driver

- (3). Follow the on-screen instructions until installation is complete.
- (4). Open "System preferences" "Display" and then set Resolutions to "Default for display".

	Built-in Retina Display	
	Arrangement Color Night Shi Resolution: ● Default for o ● Scaled Brightness: ✓ Automatical	
AirPlay Display: Off ✓ Show mirroring options in the menu	≎ bar when available	Gather Windows ?

Image 3-5. Display



	Built-in Retina Display	Q. Search
	g them to the desired position.	ht Shift
Mirror Displays		
AirPlay Display: Off ✓ Show mirroring options in t	≎ he menu bar when available	Gather Windows ?

Image 3-6. Arrangement

- (5) In the Arrangement tab, you may choose to Mirror Displays. With Mirror Displays enabled, both monitors' resolutions should be the same.
 - (5.1) Open "Finder" "Applications" "PenTablet" "Pen Tablet Setting".
 - (5.2) In the Monitor tab, set Monitor Mapping to iMac/Color LCD.
- (6) With Mirror Displays disabled, set your Artist 22R Pro's resolution to 1920x1080.
 - (6.1) Open "Finder" "Applications" "PenTablet" "Pen Tablet Setting".
 - (6.2) In the monitor tab, set Monitor Mapping to Artist 22R Pro.

			2 C	
М	onitor Mapping 🗸 A	rtist22R Pro color LCD	•	
Monitor	_			
			Offset [X]	Pixels
Color LCD	Artist	22R Pro		
			Offset [Y]	Pixels
÷.			Width [X]	Pixels
			Height [Y]	Pixels

Image 3-7. Monitor



{ IV. Driver Settings UI}

Windows

Double-click the driver's icon (\bigcirc) in the system tray.

Driver UI




Image 4-1. UI

1.1. Pen Function Settings

You may customize the functions of your tablet pen's barrel buttons here. Use the "Function Key" option to program custom keystrokes.




Image 4-2. Pen Functions Setting



Note: Pen/Eraser Toggle

With the stylus in range of the Artist 22R Pro's working area, press the assigned barrel button to toggle between pen and eraser modes in compatible drawing software. The current mode will be displayed briefly on your monitor.

1.2. Click Sensitivity & Current Pen Pressure

You can adjust pen pressure to "Output" or "Press" sensitivity on here.

Current Pen Pressure shows the current pressure level being exerted on your tablet and can be used to test pen pressure.




Image 4-3. Click Sensitivity & Current Pen Pressure

1.3. Mouse Mode

Absolute (Pen) Mode: Standard tablet mode; Each point of the tablet's work area corresponds to an absolute point on your computer display.

Relative (Mouse) Mode: Mouse mode; The tablet's work area does not correspond to absolute points on your computer display and your pen works as a standard mouse.

Note:

Artist 22R Pro is a graphic tablet monitor so please set it to Absolute mode to avoid stylus and cursor offset issue.

Mouse Mode		
Absolute Mode	O Relative Mode	

Image 4-4. Mouse Mode



1.4. Current Screen

The Artist 22R Pro may be configured for use with single or dual monitors. Generally, this should be set to "Monitor 1" or Monitor 2."



1.5. Import & Export Profiles




Image 4-6. Export & Import

You can use the Import & Export Profile function to save/load your barrel buttons and shortcut keys setting.

Note:

When you finish setting up your barrel buttons and shortcut keys, click the OK button to save and exit the tablet settings menu. Open tablet setting again and click Export Configuration.

3 Save As					>
\leftrightarrow \rightarrow \checkmark \uparrow 🖹 \Rightarrow This PC \Rightarrow Documents	~	ē	Search Documer	nts	P
Organize 👻 New folder				== •	8
 This PC 3D Objects Desktop Downloads Music 			ate modified /16/2018 11:07 PM	Type File folder	
 ■ Pictures ■ Videos ■ 新增磁碟區 (D:) 					
Image: Videos Image: WIN7 (C:) Image: 新增磁碟區 (D:) Image: Videos Videos Videos Videos Videos Videos Videos Vileos V		_			
I Videos ≝ WIN7 (C:) ■ 新增磁碟區 (D:)			Save	Canc	el
 Wideos WIN7 (C:) 新增磁碟區 (D:) File name: Tablet Save as type: *.pcfg 	Calibrate		Save Display Setting		el ss Keys

XP-PEN

Image 4-7. Export Profile




Image 4-8. Import Profile



1.6. Windows Ink

This capability can be toggled on and off here. Enabling this will allow support for Windows Ink and applications that run using Windows Ink.




Image 4-9. Windows Ink

1.7. Calibration

The Calibration tab allows you to set up calibration for your tablet.

Image 4-10. Calibration

1.8. Display Setting

- a. Color Temperature: Use to adjust the Artist 22R Pro's color balance.
- b. User: Use to adjust red, green, and blue color levels on the Artist 22R Pro's display. Brightness and contrast can also be adjusted here.

c. Rotate: You may rotate the Artist 22R Pro's display in this tab.

OsRGB	O 500	00K @ 6500K	 ○ 7500K 	0 9300к	OUSER
					uter en
USER					
Red	50				
Green	50				
Blue	50		-8-		
rightness	50 -		- 1		
Constrast	50		-		
Rotate					
0		90	180		270

Image 4-11. Display Setting



Note:

a. When you set the rotate function, you must also rotate your Artist 22R Pro.

b. You must set the Artist 22R Pro to Extend These Displays first, after which you can change the rotation.

1.9. Express Keys Setting

Notes:

- a. The Artist 22R Pro's shortcut keys are designed to work with US English keyboards. Keys may not function correctly with the other keyboard languages.
- b. By default, the Artist 22R Pro express keys are mapped to standard Photoshop keyboard shortcuts. Keys can be customized to function efficiently in other software.
- c. You must set one express key from the Switch function to switch dial.

ENG	English (United States) US keyboard	

Image 4-12. Keyboard

Disable express keys: When you enable it, all of the express key functions will be disabled.

Hide hints: When you enable it and press any express key, the message will not popup on the bottom of your screen.

Dial2	~ ~	K11 Switch Monitor K12 [M] K13 [L]	1
Dial2		К12 []	
		К12 []	\ \
	~	in the second	``
	~	K12 D1	
	18	K13 [1]	×
	~	K14 [Ctrl+0]	
	~	K15 [Ctrl+N]	~
	~	K16 [Ctrl+Shift+N]	×
[+Z]	~	K17 [Ctrl+E]	~
ift+Z]	~	K18 [F]	`
blet Setting	~	K19 [Ctrl+C]	
ode Switch	~	K20 KL/KR Mode Switch2	2
t	t+Z] hift+Z] blet Setting ode Switch	t+Z] ~ ift+Z] ~ blet Setting ~	t+Z] V K17 [Ctrl+E] ift+Z] V K18 [F] blet Setting V K19 [Ctrl+C]

Image 4-13. Keys



You may edit the functions of the Artist 22R Pro's shortcut keys. Use the "Definition" option to program custom keystrokes.

Function Key			>
Mouse Function			
No Action	O Left Click	O Right Click	
O Middle Click	O Scroll Up	O Scroll Down	
O Double Left Clicks			
) Shortcuts			
Ctrl Alt	Shift	Win	
		∧ Clear	
-		⊻ Maximum 20 charact	ers
Other			
Open Tablet Setting	O Fine Detail Mode	○ [B]/[E]	
O Switch Monitor			
			_
		OK Cance	el l

Image 4-14. Function Key

Note:

Find Detail Mode allow your Artist 22R Pro work area to focus on the small size scope to do detail drawing & editing.

You can set each shortcut key for different software.

a. Click the "+" button to go to Select Program tab.



Other	Select Program	×
Keys	Select Program Running Program	
	ETDCtrl.exe svchost.exe sihost.exe taskhostw.exe Explorer.EXE ShellExperienceHost.exe SearchUI.exe RuntimeBroker.exe SkypeHost.exe MSASCuilexe PentabletService.exe OneDrive.exe certd_I3000_HXB.exe MOM.exe FUFAXRCV.exe FUFAXSTM.exe CCC.exe	 <
	Program Path Selected OK Cancel	~
		Default

Image 4-15. Select Program

b. You can choose Default or use Browse to select your choice of software.

	> Open	Program		×	+ Mappin
		This PC > Desktop >		 ・ ひ Search Deskto 	p
	Organize 🔻 New fol	der			• •
C C M	This PC 3 3D Objects Desktop Documents Downloads Music Pictures Videos WIN7 (C:) D D(D:) USB Drive (F:)	Adobe Fireworks CS6	Chinesesimplifie d	Cinema 4D Demo	Tablet.pcfg
۲	USB Drive (F:)				

Image 4-16. Select Program



c. Return to the shortcut key settings tab, click the tablet icon, and then customize the shortcut keys. When you are finished, click the OK button and exit the tablet settings menu.

You can set each Dial 1 & 2 for different software.

a.Click software icon first then go to Dial 1 & 2 tab.

Other			
eys Dial Dial2			
		Functions	
		Keyboard Ctrl+'-' Ctrl+'+'	~
5		Scroll	~
Э ĸL	C KR	Keyboard	~
		[] No Action	~
		No Action	~
			Default

Image 4-17. Dial

b. Click each dial function to "Function key".

c. On the setting tab, you can customize "KL" and "KR" to different shortcuts like Ctrl+ & Ctrl-.

Name	Zoom	
KL	[Ctrl + Num +]	
KR	[Ctrl + Num -]	KeyBoardInfo

Image 4-18. Setting



1.0. Default

You can click the Default button to restore default settings.

1.11. XP-Pen Logo

Click our logo to visit our website.



Image 4-19. XP-Pen logo

Mac

To open the Artist 22R Pro's driver settings, open Finder - Applications - PenTabletSetting.



Image 4-20. Tablet Setting




Image 4-21. Mac UI

- a. In this tab, you may customize the functions of your stylus' barrel buttons, adjust pressure sensitivity, and test your pen pressure.
- b. Click "Default Button Setting" to revert to manufacturer settings.






Image 4-22. Pen

Note:

Pen/Eraser Toggle

With the stylus in range of the Artist 22R Pro's working area, press the assigned barrel button to toggle between pen and eraser modes in compatible drawing software. The current mode will briefly be displayed on your monitor.

- c. Disable pen pressure: When the "Disable pen pressure" function is enabled, you can disable the pen pressure function.
- d. Disable Key Function: When you enable it, all of the express keys function will be disabled.
- e. Disable Display Message: When you enable it and press any express key, the message will not popup on the bottom of your screen.





Image 4-23. Configuration Setting

f. Output: You can adjust pen pressure to "Output" or "Press" sensitivity on here.



It shows the current pressure level being exerted on your tablet and can be used to test pen pressure.





g. Import & Export Profiles: You can use the Import & Export Profile function to save/load your barrel buttons and shortcut keys setting.

Import configuration file	Export configuration file
---------------------------	---------------------------

Image 4-25. Import & Export Profiles

		PenTable	tSetting			
		select a plist for	rmat file to save		٥	
	Save As:	Tablet		•)		
Ē	Tags:	2				Reset
	Where:	🙆 Downloads		٢		Reset
			Cancel	Save		
	F	irst Button				
		ght Click 🗘		1	/	
U						
ų						
v	Defaul	Button Setting		/		
PenPressure	Defaul	Button Setting			Pressure	e
PenPressure	Defaul	Button Setting			Pressure	0
	Defaul	t Button Setting	Coordinate	Mode	Pressure	
Disable pen pressure Work Area Orientation						
Disable pen pressure	Defaul		Coordinated Absolu		Pressur Relative	
Disable pen pressure Work Area Orientation		d			Relative	

Image 4-26. Export configuration file

 Recents Creative Cl Applications Desktop 	 02.png 12-1.jpg 12-2.png 12-3.png 12-4.png 12-4.png 12.jpg 	<pre><?xml version="1.0" encoding="UTF-8"?> <!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN" "http://www.apple.com/DTDs/ PropertyList-1.0.dtd"> <plist version="1.0"> </plist></pre> <pre> </pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>		
Downloads Cloud Documents Desktop	 EUGEE TECPPORT.pdf export-1.png export.jpg import-1.png import.jpg 	<integer>5625</integer> <key>Active.left</key> Tablet.plist property list - 3.6 MB		
Cicloud Drive Devices LeslieMac	Save.plist	Created Friday, June 8, 2018 at 4:26 PM Modified June 16, 2018 at 11:44 PM Last opened Add Tags		
Remote Disc	Previous 7 Days	Cancel Open		

Image 4-27. Import configuration file

1.2. Monitor

XP-PEN

The "Monitor" tab allows you to configure your Artist 22R Pro to monitor1 or monitor2.

0			PenTabletSetti	ng		
		Pen Monitor	Express Keys	Calibration	About	
Monitor	Moni	tor Mapping 🗸 Ar	tist22R Pro lor LCD		2	
					Offset [X]	Pixels
Color LC	U,	Artistz	2R Pro		Offset [Y]	Pixels
					Width [X]	Pixels
					Height [Y]	Pixels
			mport configuratio	on file	Export configuration file	Ex
					Vor: 21	.0 (2019-0

Image 4-28. Monitor



1.3. Express Keys

Notes:

- a. The Artist 22R Pro's shortcut keys are designed to work with US English keyboards. Keys may not function correctly with the other keyboard languages.
- b. By default, the Artist 22R Pro express keys are mapped to standard Photoshop keyboard shortcuts. Keys can be customized to function efficiently in other software.
- c. You must set one of the express keys from Switch function to switch dial.




Image 4-29. Express Keys

In the Express Keys tab, you may choose your preferred functions for the Artist 22R Pro's shortcut keys. Use the "Reset Customer Defined" option to program custom keystrokes.


Alias:	Command + V					
	(Application	HotKey	Internet	Mouse	
			Comman	d + V		
			Commar	nd + V		

Image 4-30. Action Setting



You can set each shortcut key for different software.

a. Click the "+" button to go to Select Program tab.



b. Your choice of software.



Image 4-32. Select Program



c. Return to the shortcut key settings tab, click the tablet icon then customize the shortcut keys. When you are finished, click the OK button and exit the tablet settings menu.

	HotKey Setting	
Application Program	Option	
FireAlpaca.		+
	HotKey SliderTable]
1000	K1 Undefined	K11 Undefined
К1 К9	K2 Undefined	K12 Undefined
К2 К3 К10	K3 Undefined	K13 Undefined
K4 K12	K4 Undefined	K14 Undefined
	K5 Undefined	K15 Undefined
К5 К13	K6 Undefined	K16 Undefined
K6 K14	K7 Undefined	K17 Undefined
	K8 Undefined	K18 Undefined
	K9 Undefined	K19 Undefined
	K10 Undefined	K20 Undefined
	Default	Cancel OK
C	lmage 4-33. Hot Key	
	Action Setting	
Alias: B		
Appli	cation HotKey Internet	Mouse
	the combination shortcut key:	
	В	
Default HotKey: Br	rush Tool 🗘	
		Cancel Ok

Image 4-34. Action Setting



You can set dial 1 & 2 for different software.

a.Click the software icon first and then go to the Dial tab.

	HotKey Sett	ing	
Application Program (FireAlpaca.	Option		+
	HotKey Slide	erTable	
	D KL	CKR	
	S1 S2		
Undefined1		Undefined4	
Undefined2		Undefined5	
Undefined3		Undefined6	
	Default	Cancel	ОК

Image 4-35. Slider

- b. Click each dial function.
- c. On the setting tab, you can customize "Left HotKey" and "Right HotKey" to different shortcuts like Ctrl+ & Ctrl-.

	(
	Left Ho	otKey Right	HotKey	
Alias: Scroll Up				
ess the keyboard I	key to set the con	nbination short	cut key :	
		NoAction		
5 C 11 11 11	1			
Default HotKey:	No Action	٢		
Default HotKey:	No Action	٢		
Default HotKey:	No Action	٥		

Image 4-36. Slider Setting



1.4. Calibration

The Calibration tab allows you to calibrate your tablet or rotate your display. To calibrate, click Calibration and follow the on-screen instructions. Rotate: You may rotate the Artist 22R Pro's display in this tab.

					\$	
	Pen	Monitor	Express Keys	Calibration	About	
Rotate						
90)		270		Calibration	
	180				Reset Default Calibration)
		In	port configuratio	on file	Export configuration file	Exi

Image 4-37. Calibration

1.5. About

This tab displays the current version of your driver software.

	PenTabletSetti	ng		
				٥
Pen Moni	tor Express Keys	Calibration	About	
	D. T.L.L.V.			
	Peniablet Version :	2.1.0		
	Import configuratio	n file	Export configuration	file Exit
			Ve	r: 2.1.0 (2019-04-26)
	Pen Moni	Pen Monitor Express Keys	Pen Monitor Express Keys Calibration	Pen Monitor Express Keys Calibration About Import configuration file Export configuration

Image 4-38. About




{ V. Driver Uninstall}

Windows

In the Start menu, open [Settings] → [Apps & features]. Find "Pentablet" and click "Uninstall." Follow the onscreen instructions.

Mac

Open [Finder]→ [Application]→ [Pen Tablet], then click "Uninstall Pen Tablet" and follow the on-screen instructions.



Note :

When attempting to reinstall the Artist 22R Pro driver, be sure to reboot your computer after the uninstall is complete.

{ **VI. FAQ**}

1. Where can I download the latest Artist 22R Pro driver?

Latest driver releases can be downloaded from our website (www.xp-pen.com).

2. I can't use the stylus to control the cursor.

- a. Turn on your Artist 22R Pro and make sure you can see the display.
- b. Reinstall the driver and then find the tablet icon in the system tray.
- c. Open it and test the pen pressure gauge inside
- d. If you can't test the pen pressure, please uninstall the driver and reboot. Make sure your computer login account has Administrator authority.
- e. The Artist 22R Pro supports plug and play, please test your stylus function before reinstalling the driver. If you have control, please disable your antivirus then go to the XP-Pen website to download the latest driver.
- f. When the download is complete, please unzip and extract the contents of the folder to run the .exe or .pkg installation file.
- g. Open the tablet setting again then make sure can you use the pen pressure on it.



3. How do I know that the Artist 22R Pro driver installed successfully?

a. After installing the driver, the Artist 22R Pro Pro's driver icon 🔊 should be visible in your system tray on the bottom-right of your screen (Windows OS) and desktop. Pen input will control the cursor and pressure sensitivity will be functional in the driver.

4.Why can't I use the pen pressure on the drawing software?

- a. Please make sure the drawing software can support pen pressure.
- b. Make sure you have the latest driver installed.
- c. Open the tablet setting and make sure you can test the pen pressure in it.
- d. Enable the "windows ink" function then click the ok button to exit. Open the drawing software again and test your pen pressure.
- e. Please note our tablets do not come with drawing software.

If you have any questions, please contact us at: Web: <u>www.xp-pen.com</u> Email: <u>service@xp-pen.com</u>